




USER MANUAL

Congratulations with your
Vertepac Carrying System!

WHAT'S INSIDE THE BOX



ATTENTION



To make the Vertepac function properly,
it needs to be adjusted to your body size
precisely. Please read the instructions
carefully!

Or watch this video: www.vertepac.com/instructions

STEP 1. PRESET THE TORSO LENGTH.



1. **Measure** the distance from the top of your shoulder to your hip bone with a tape measure.
2. **Look up** your personal frame setting in the table:


TORSO LENGTH		FRAME SETTING	
	38-40 cm	1	
	42 cm	2	
	44 cm	3	
	46 cm	4	
	48 cm	5	
	50 cm	6	
	52-54 cm	7	

Experiment with the settings. Tune to your own preference.

Before proceeding to step 3 make sure the the sliding system is retracted and the bag is disconnected.



3. **Loosen** the screw on the backside of the frame (max 4 turns), while **pressing** the spine against the frame.



4. **Reposition** the fix block to your personal setting (see table).



5. **Tighten** the screw with your fingers firmly. Do not use excessive force or tools.

STEP 2. PRESET THE WAIST SIZE. (ELASTIC-VELCRO VERSION ONLY)

Set the torso length temporarily to its maximum (7) and pull down the hip belt until it locks with a click. This makes the hip belt better accessible.



1. **Open** the hip belt by lifting the right cover flap upward.



2. **Position** the elastic band to match your waist size.




3. **Close** the cover flaps. Make sure the elastic bands are entering the sleeve horizontal and can stretch freely in and out.
4. **Repeat** steps 1-3 for the left cover flap.

STEP 3. CONNECT THE BAG UNIT.



1. **Slide** the top flaps of the frame into the connection pockets at the top of the bag unit.



2. **Attach** the shoulder hooks into the bag connection loops right above the connection pockets.



3. **Push** the side straps from the bag through the D-rings of the frame and close the double velcro closure (both sides).

DISCLAIMER

TOTO Carrying Systems created the Vertepac with great care and attention for product safety. Nonetheless, TOTO Carrying Systems is not liable for any damages or harm that comes from using its products. You are responsible for using your Vertepac in a safely manner.

STEP 4. PUT IT ON.



1. **Slide** the Vertepac onto your shoulders.



2. **Pull** down the hip belt until you hear a click. The hip belt is now in *extended/action mode*.



3. **Bend** slightly forward and close the belt firmly around your hips.



4. **Stand** up straight and tighten if needed.



5. **Pull** down the shoulder straps.



6. **Attach** the sternum strap for stability.



7. **Tighten** the top loader straps.

STEP 5. TAKE IT OFF.



1. **Release** the sternum strap.



2. **Open** the hip belt closure.



3. **Take** the Vertepac off your shoulders.



4. **Pull** the release pin on the spine and let go. The hip belt will slide up into *compact/rest mode*.



Freedom to move



Effortless carrying



Modular system



Hip comfort



Customizable



Back protector



No sweat



Healthy spine

EXPAND YOUR FREEDOM.

www.vertepac.com